

rAAV1 AND 8-MEDIATED INDUCTION OF LOCAL OPMD HISTOPATHOLOGY IN COMMON MARMOSSET

Hironori Okada, PhD¹, Hidetoshi Ishibashi, DVM, PhD², Hiromi Hayashita-Kinoh, PhD¹, Tomoko Chiyo, PhD¹, Chiaki Masuda, MS¹, Yuko Nitahara-Kasahara, PhD¹, Shin'ichi Takeda, MD, PhD¹ and Takashi Okada, MD, PhD^{1,3}.

1 Department of Molecular Therapy, National Institute of Neuroscience, NCNP, Kodaira, Tokyo 187-8502, Japan.

2 Department of Neurophysiology, National Institute of Neuroscience, NCNP, Kodaira, Tokyo 187-8502, Japan.

3 Department of Biochemistry and Molecular Biology; Division of Gene Therapy Research, Center for Advanced Medical Technology; Nippon Medical School, Bunkyo-ku, Tokyo 113-8602, Japan.

A TARGETING LIGAND ENHANCES INFECTIVITY AND CYTOTOXICITY OF AN ONCOLYTIC ADENOVIRUS IN HUMAN PANCREATIC CANCER TISSUES

Yuki Yamamoto¹, Nobuyoshi Hiraoka², Yosei Rin¹, Kazuki Miura¹, Kenta Narumi¹, Masatoshi Tagawa³, Kazunori Aoki¹

¹Division of Gene and Immune Medicine, ²Division of Molecular Pathology, National Cancer Center Research Institute, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, ³Division of Pathology and Cell Therapy, Chiba Cancer Center Research Institute, 666-2 Nitona-chou, Chuo-ku, Chiba 260-0801, Japan.

